

No. KM 70352

Production Location unless otherwise stated:

Parsonage Way, Chippenham, Wiltshire, SN15 5PN

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Description of Duadret	Product Code		
Description of Product	110 mm	160 mm	
S/S Pipe – 2 m	48042	-	
S/S Pipe – 3 m	4S043*	6S043*	
S/S Pipe – 4 m	4S044*	6S044*	
S/S Pipe – 2½ m	4S050	м.	
P/E Pipe – 3 m	4S073*	-	
P/E Pipe – 4 m	4S074*	6S074*	

BS 4514:2001 Unplasticised PVC Soil and Ventilating pipes, fittings, and accessories

Description of Product	Product Code	
	82 mm	
S/S Pipe – 2 m	3S042	
S/S Pipe – 3 m	3S043*	
S/S Pipe – 4 m	3S044*	
P/E Pipe – 4 m	3S074*	

First Issued: 8/06/2005

Latest Issue: 26/06/2012







No. KM 70352

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Description of Descript	Product Code		
Description of Product	110 mm	160 mm	
Plain Ended Pipe – 3 m	SP3PE		
Plain Ended Pipe – 4 m	SP4PE	SP4PE/6	
Plain Ended Pipe – 2½ m	SP25PE	-	

and the of Dundant	Product Code		
Description of Product	110 mm	160 mm	
Single Socketed Pipe – 2 m	SP2SS	-	
Single Socketed Pipe – 2½ m	SP25SS	-	
Single Socketed Pipe – 3 m	SP3SS	-	
Single Socketed Pipe – 4 m	SP4SS	-	

BS 4514:2001 Unplasticised PVC Soil and Ventilating pipes, fittings, and accessories

Decementary of Bundanat	Product Code
Description of Product	82 mm
Plain Ended Pipe - 3 m	SP3PE/3
Plain Ended Pipe - 4 m	SP4PE/3
Single Socketed Pipe – 2 m	SP2SS/3
Single Socketed Pipe – 3 m	SP3SS/3
Single Socketed Pipe – 4 m	SP4SS/3

First Issued: 8/06/2005

Latest Issue: 26/06/2012







No. KM 70352

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Description of Braduct	Product Code		
Description of Product	110 mm	160 mm	
Pipe Bracket	4S082*	6S082*	
Socket Bracket	4S083*		
S/S Reducer 110 mm - 82 mm	4S095*		
S/S Reducer 110 mm - 50 mm	4S096*		
S/S Reducer 160 mm – 110 mm		6S099*	
D/SW Double Socket	4S104*	6S104*	
D/S Double Socket	4S105*	6S105*	
S/SW Single Socket	4S124*	6S124*	
S/S Bend 871/2º	4S161*	6S161*	
S/S Bend 671/2º	4S162*	6S162	
S/S Bend 45°	4S163*		
S/S Bend 76°	4S164*		
S/S Bend 30°	4S166		
S/S Bend 15°	4S167		
S/S Single Branch 87½°	4S190	6S190	
S/S Single Branch 871/2°	4S195		
S/S Single Unequal Branch 871/2°		6S198	
S/S Single Branch 67½°	4S200		
S/S Single Branch 45°	4S210	6S210	
S/S Unequal Branch 45°		6S218	
S/S Single Branch 76°	4S220		
S/S Double Branch 87 1/2°	4S230		
S/S Unequal Double Branch 87½º		6S238	
S/S Double Branch 45°	4S250		
SW/S Long Tail Bend 87½º	4S260*		
SW/S Bend 45°	4S263*		
SW/S Bend 11¼º	4S268*		

First Issued: 8/06/2005

Latest Issue: 26/06/2012







This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000



No. KM 70352

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Description of Bradust	Product Code		
Description of Product	110 mm	160 mm	
SW/S Single Branch 87½°	4S290		
S/S Corner Branch 871/2º	4S291		
P/E Socket Plug	4S296*		
S/SW Bend 871/2°	4S361		
S/SW Bend 45°	4S363		
S/SW Boss Branch 87½°	4S395		
D/SW Single Branch 45°	4S410*		
D/SW Double Branch 87½°	4S430		
SW/S Offset Bend	4S435*	6S435*	
S/SW Offset Bend	4S440*	6S440*	
S/S Offset Bend	4S444		
D/S Offset Bend	4S445		
D/SW Offset Bend	4S450*		
D/SW Bend 87 1/2º	4S461*	6S461*	
D/SW Bend 67 1/2º	4S462*		
D/SW Bend 45°	4S463*	6S463*	
D/SW Boss Pipe 32 mm	4S483*		
D/SW Boss Pipe 40 mm	4S484*		
SW/S Boss Adaptor 32 mm	2S298		
SW/S Boss Adaptor 40 mm	2S299		
S/S Boss Adaptor 32 mm	2S398		
S/S Boss Adaptor 40 mm	2S399		
S/S Boss Adaptor 50 mm	2S402		
S/S Boss Adaptor 50 mm	2S403		
D/SW Single Branch 87½°	4S490	6S490*	
SW/S Corner Branch 87½°	4S491*		
D/SW Single 5-Boss Branch 871/2°	4S495		

First Issued: 8/06/2005

Latest Issue: 26/06/2012





Page 5 of 15



No. KM 70352

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Description of Product	Produ	ct Code
Description of Product	110 mm	160 mm
SW/S Reducer to 50 mm	4S496*	
D/SW Unequal Branch 871/2º		6S498
SW/S Reducer to 110 mm		6S499*
S/S Bossed Pipe 11/4" / 32 mm	4S581*	
S/S Bossed Pipe 1½" / 40 mm	4S582*	
D/SW Bossed Pipe 11/4" / 32 mm	4S583	,
D/SW Bossed Pipe 11/2" / 40 mm	4S584	
SW/S Bossed Pipe – Plain	4S585*	3
D/SW Bossed Pipe – Plain	4S586*	
S/S Bossed Pipe - Plain	4S589	6S589
S/SW Bossed Pipe – Plain	4S590*	
Osmalink Soil Manifold	4S595*	
P/E Pipe – 600 mm	4S600*	
S/S Longtail Bend 87½º	4S790#	

First Issued: 8/06/2005

Latest Issue: 26/06/2012

raising standards worldwide™





No. KM 70352

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Description of Broduct	Produ	ct Code
Description of Product	110 mm	160 mm
S/S Unequal Junction 45°		6CS218
D/S Unequal Junction 45°		6CS219
32 mm Boss adaptor 90°	2CS801	
40 mm Boss adaptor 90°	2CS802	
50 mm Boss adaptor 90°	2CS803	
32 mm Boss adaptor straight	2CS804	
40 mm Boss adaptor straight	2CS805	
50 mm Boss adaptor straight	2CS806	
32 mm Boss adaptor 90°	2CS811	
40 mm Boss adaptor 90°	2CS812	
50 mm Boss adaptor 90°	2CS813	
32 mm Boss adaptor straight	2CS814	
40 mm Boss adaptor straight	2CS815	
50 mm Boss adaptor straight	2CS816	9
D/SW Double 2-boss Branch 871/2°	4CS829	
S/S Double 2-boss Branch 871/2°	4CS830	
SW/S Double 2-boss Branch 871/2°	4CS831	
D/SW Double 4-boss Branch 871/2°	4CS832	
S/S Double 4-boss Branch 871/20	4CS833	
SW/S Double 4-boss Branch 871/2°	4CS834	
SW/S Variable Branch	4CS850	
D/SW Variable Branch	4CS851	
S/S Variable Branch	4CS852	
S/S Access Branch	4CS888	
SW/S Single Branch 87½º	4CS889	
D/SW Single Branch 87½°	4CS890	

First Issued: 8/06/2005

Latest Issue: 26/06/2012

raising standards worldwide™



Page 7 of 15



No. KM 70352

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Description of Product	Product Code		
Description of Product	110 mm	160 mm	
S/S Single Branch 87½º	4CS891		
D/S Single Branch 871/2º	4CS892		
D/SW Access Branch	4CS893		
SW/S Single 5-boss Branch 871/20	4CS895		
D/SW Unequal Single 5-boss Branch 871/2°		6CS895	
S/S Single 5-boss Branch 87½°	4CS896		
SW/S Unequal Single 5-boss Branch 87½°		6CS896	
D/SW Single 5-boss Branch 871/20	4CS897		
D/S Unequal Single 5-boss Branch 87½°		6CS897	
S/S Unequal Single 5-boss Branch 87½°		6CS898	

First Issued: 8/06/2005

Latest Issue: 26/06/2012





Page 8 of 15



No. KM 70352

BS 4514:2001

Unplasticised PVC Soil and Ventilating pipes, fittings, and accessories

Description of Product		Product Code	
Description of Product	82 mm	110 mm	160mm
Pipe Bracket	3S082*		
Socket Bracket	3S083*		
S/S Reducer 82 mm x 50 mm	3S094*		
D/S Double Socket	3S105*		
S/S Connector to CI Socket		4S106	
S/S Connector to CI or Clay		4S107*	
S/SW Single Socket	3S124*		
S/S Bend 871/2°	3S161*		
S/S Bend 671/20	3S162*		
S/S Bend 45°	3S163*		
S/S Access Bend 871/20		4S169	
S/S Single Branch 87½º	3S190*		
S/S Single Branch 67½º	3S200		
S/S Access Pipe	3S274*	4S274*	6S274
Access Saddle		4S275*	
S/S Rainwater Pipe Shoe	3S288	4S288	
P/E Access Plug	3S292*	4S292*	6S292*
SW/S Vent Cowl		4S310*	
Strap Boss Back - to - Back		4S318	
Strap Boss	3S319*	4S319*	
Rainwater Hopper Head	3S530		
Rainwater Hopper Head		4S326	
SW/S Access Bend 871/2°		4S369*	
S/SW Bossed Access Pipe		4S374	
S/SW Offset Bend	3S435*		
S/SW Offset Bend	3S440*		
S/S Offset Bend	3S444*		
D/SW Access Bend 871/2º		4S469*	
D/SW Bossed Access Pipe		4S474*	

First Issued: 8/06/2005

Latest Issue: 26/06/2012

raising standards worldwide™







No. KM 70352

BS 4514:2001

Unplasticised PVC Soil and Ventilating pipes, fittings, and accessories

Description of Bradust	Product Code		
Description of Product	82 mm	110 mm	160mm
SW/S Access Plug		4S492*	
D/SW Access Branch 87½°		4S493	
S/S Access Branch 871/2º		4S502	
SW/S Bossed Access Pipe		4S574*	6S574*
S/SW Manifold Branch - Straight		4S601#	
S/SW Manifold Branch – 8° LH		4S602#	
S/SW Manifold Branch – 15½° LH		4S603#	
S/SW Manifold Branch – 23° LH		4S604#	
S/SW Manifold Branch – 30½° LH		4S605#	
S/SW Manifold Branch – 38° LH		4S606#	
S/SW Manifold Branch – 8° RH		4S612#	
S/SW Manifold Branch – 15½° RH		4S613#	
S/SW Manifold Branch – 23° RH		4S614#	
S/SW Manifold Branch – 30½° RH		4S615#	
S/SW Manifold Branch – 38° RH		4S616#	
S/S Bossed Pipe	3S649*	i I	
P/E WC Connector 14°		4S711#	
SW/S WC Connector 14°		4S712#	
SW/S WC Connector Straight		4S730#	
P/E WC Connector Straight		4S731#	
SW/S WC Connector 87½°		4S745#	
P/E WC Connector 87½°		4S746#	
P/E Access WC Connector 90°		4S761#	
SW/S Access WC Connector 90°		4S762#	
P/E WC Connector 90°		4S771#	
SW/S WC Connector 90°		4S772#	
P/E Connector 2½°		4S791#	
SW/S WC Connector 2½°		4S792#	

First Issued: 8/06/2005

Latest Issue: 26/06/2012

raising standards worldwide™

Page 10 of 15



This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000



No. KM 70352

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

	Product Code					
Description of Product	Ring Sea	al System	Solvent Cement System			
	110 mm	160 mm	110 mm	160 mm		
Double Socket Coupling	S1		SW1			
Repair Coupling	S1A					
Single Socket	S2		SW2			
Drain Connector	S4					
Drain Connector to Cast Iron	S4/A					
Pipe Fixing Bracket, Quick fix	S5					
Socket Fixing Bracket	S6					
Pipe Fixing Bracket	S7					
Bend 871/2°	S12		SW12			
Bend 76°	S13		SW13			
Bend 671/2º	S14		SW14			
Top Offset Bend	S15A		SW15A			
Bottom Offset Bend	S15B		SW15B			
Bend 45°	S15		SW15	SW15/6		
Single Branch 87½º	S24	S24/6x4	SW24	SW24/6x4		
Single Branch 87½º	S24A					
Single Branch 87½º	S24AST					
Single Branch 76°	S25		SW25			
Single Branch 67½º	S26					
Single Branch 45°	S27		SW27			
Three Way Boss Pipe	S33		SW33			
Six Way Boss Pipe	S34		SW34			
Double Branch 87½°	S40	S40/6	SW40			
Double Branch 45°	S43		SW43			
Level Invert Reducer	S94	S94/6x4	SW94	SW94/6x4		
Solvent Coupling	S121					

First Issued: 8/06/2005

Latest Issue: 26/06/2012

raising standards worldwide™



Page 11 of 15



No. KM 70352

Production Location: ul.Dobiezynska 43, 64-320, Buk, Poland

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

	Product Code				
Description of Product	Ring Seal System				
	110 mm	160 mm			
Coupler	S1/P	S1/6/P			
Bend 45°	S15/P	S15/6/P			
Access Pipe	S80/P	S80/6/P			
Branch 45°	S27/P	S27/6/P			
Reducer		S94/6x4/P			
Reducing Branch 45°		S27/6x4/P			

Notes:

The fittings have been assessed for use in application area B only. All sockets and spigots have been assessed as type SI only.

First Issued: 8/06/2005

Latest Issue: 26/06/2012

raising standards worldwide™



Page 12 of 15



No. KM 70352

Production Location:

ul.Dobiezynska 43, 64-320, Buk, Poland

BS EN 1329-1:2000 Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

	Product Code Ring Seal System				
Description of Product					
	110 mm	160 mm			
Coupler	4S105	6S105			
Bend 45°	4S163	6S163			
Access Pipe	4S274	6S274			
Branch 45°	4S210	6S210			
Reducer		6S099			
Reducing Branch 45°		6S218			

Notes:

The fittings have been assessed for use in application area B only.

All sockets and spigots have been assessed as type SI only.

First Issued: 8/06/2005

Latest Issue: 26/06/2012







No. KM 70352

Production Location:

Parsonage Way, Chippenham, Wiltshire, SN15 5PN

BS 4514:2001

Unplasticised PVC Soil and Ventilating pipes, fittings, and accessories.

Description of Product	Product Code						
	Rin	Ring Seal System			Solvent Cement System		
	82 mm	110 mm	160mm	82 mm	110mm	160mm	
Double Socket Coupling		S1/3			SW1/3		
Single Socket	S2/3			SW2/3			
Pipe Fixing Bracket, Quick Fix	S5/3						
Bend 871/2°	S12/3			SW12/3			
Bend 671/2°	S14/3			SW14/3			
Top Offset Bend		S15A/3			SW15A/3		
Bottom Offset Bend	S15B/3						
Bend 45°	S15/3			SW15/3			
Single Branch 871/2º	S24/3			SW24/3			
Single Branch 671/2º				SW26/3			
Single Branch 45°	S27/3			ESW27/3			
Three Way Boss Pipe	S33/3			SW33/3			
Access Pipe	S80/3	S80			SW80	SW80/6	
Socket Plug	S81/3	S81					
Access Saddle		S82					
Access Bend 871/2°		S83			ESW83		
Screwed Access Cap		S84					
Level Invert Reducer	S94/3						
Patch Boss	S95/3						

First Issued: 8/06/2005

Latest Issue: 26/06/2012

raising standards worldwide™

Page 14 of 15



This Licence remains the property of The British Standards Institution and shall be returned immediately upon request. To check its validity telephone +44 (0)845 080 9000



No. KM 70352

BS 4514:2001

Unplasticised PVC Soil and Ventilating pipes, fittings, and accessories.

Description of Product	Product Code						
	Ring Seal System			Solvent Cement System			
	82 mm	110 mm	160mm	82 mm	110mm	160mm	
Solvent Boss Adaptor 32 mm		S101					
Solvent Boss Adaptor 40 mm		S102					
Solvent Boss Adaptor 50 mm			S103				
Clip Boss 32 mm		S105					
Clip Boss 40 mm		S106					
Bent Horizontal Outlet WC Connector		S120			-		
Straight Horizontal Outlet WC Conn. Spigot Tail 2½ Offset		S130					
Bent Horizontal Outlet WC Conn. 110 mm Long Spigot Tail 90° Bend		S140					
Bent Horizontal Outlet WC Conn. 160 mm Long Spigot Tail 90° Bend		S140					
Bent Horizontal Outlet WC Conn. Double Socket 87½° Bend		S150					
Straight WC Conn. Solvent Socket			S210				

Notes applicable to all pages:

Products listed with an asterisk are available in the Certus range.

The catalogue code contains the letter 'C' to denote the product is specific to this range.

Eg. - The 3S190 product description translates to the 3CS190 in the Certus range.

Products listed with an # are available in the Certus range.

The Catalogue code is prefixed with 'CWC' instead of '4S' to denote the product is specific to this range.

Eg. - The 4S601 product description translates to the CWC601 in the Certus range.

First Issued: 8/06/2005

Latest Issue: 26/06/2012

raising standards worldwide™

Page 15 of 15

