



ROAD GULLY

***Polypropylene Road Gully Pot Complete with GRP Perforated Sand Basket, Rubber Grommet & Adaptor,
As approved by Dubai Municipality Drainage / Road Section.***



Road Gully Body



Un-trapped body moulded in one-piece polypropylene

Diameter: 510 mm Body – 568 mm Flange
Depth: Min= 910 Max=920 mm

This improved version of our well proven Polypropylene Road Gulley is moulded in two parts. The Road Gully Body and the Road Gully Trap.

A Rubber Grommet supplied with the Gully Body provides the means by which the trap is sealed to the body. When un-trapped gullies are required, the grommet provides the seal between the Gully Body and connecting pipe work.

Material

Polypropylene Copolymer having high impact strength even at 0°C.

Dimension

Body 510 mm diameter
Min=910 mm Max=920 mm deep
Trap Outlet 185 mm

Capacity

Trapped	97 Liters
Un-trapped	115 Liters

Water Seal

Trapped	100 mm
---------	--------


Weight

Body	6.10 kg
Trap	1.10 kg

Connections

Trapped Gully to 160 mm uPVC (Plastidrain adaptor)
Un-trapped Gully to 160 mm uPVC

GRP Sand Basket- Type 'C'



NOTE BODY

NO OF ROWS - 6 NOS
 NO OF HOLES IN EACH ROW - 3 NOS
 HOLE DIA - 50 MM
 HANDLE THICKNESS - 10 TO 12MM
 FLANGE THICKNESS - 8 TO 10MM
 BODY THICKNESS - 3.5 TO 4.5MM

BOTTOM


HOLE DIA - 3 TO 4MM
 NO. OF HOLES - 8 NOS
 PCD - 160MM
 CENTRE HOLE - 3 TO 4MM
 WEIGHT - 4 TO 5kg

NOTE:



TOLERANCE = 3 TO 4MM



Road Gully Adaptor



DIMENSION FOR P.P. ROAD GULLY WITH 160mm DRAIN PIPE ADAPTOR




Hepworth

PREPARED		CHECKED		APPROVED		SCALE	TITLE: DIMENSION FOR P.P. ROAD GULLY W/ ADAP. DWG. NO.: HEP/PVC-FAB/3529
NAME	DATE	NAME	DATE	NAME	DATE	N.T.S.	
Butch C	16-01-16	Sogy T	16-01-16	Dinesh	16-01-16	REV.	
ISSUED FOR APPROVAL			FOLIO/PAPER SIZE: A4			00	

Hepworth



										TITLE: TYPICAL DETAILS OF TOP ENTRY GULLY				DWG. NO.: HEP/PVC-FAB/3512 PAGE: 1 / 1	
PREPARED			CHECKED			APPROVED				SCALE					
NAME		DATE	NAME		DATE	NAME		DATE		N.T.S.					
BUTCH		16-01-16	SOGY T		16-01-16	SIDHEEQUE		16-01-16		REVISION					
ISSUED FOR APPROVAL						FOLIO/PAPER SIZE: A4				00					



U.A.E. OFFICES

ABU DHABI

P.O. Box: 4894, Abu Dhabi, UAE

Tel: +971 2 6727585

Fax: +971 2 6783578

Email: hpmeauh@corys.ae

SHARJAH

P.O. Box: 23363, Sharjah, UAE

Tel: +971 6 5438459

Fax: +971 6 5428147

Email: hpmeshj@corys.ae

AL AIN

P.O. Box: 80862, Al Ain, UAE

Tel: +971 3 7210727

Fax: +971 3 7211292

Email: hpmealn@corys.ae

QATAR OFFICE

DOHA

HEPWORTH PME (QATAR) W.L.L.

P.O. Box 50207, Doha, Qatar

Tel: +974 44506810

Fax: +974 44506811

Email: info@hepworthpme.com.qa

MESAIEED

HEPWORTH PME (QATAR) W.L.L.

P.O. Box 50207, Mesaieed, Qatar

Tel: +974 44760588

Fax: +974 44760525

OMAN

ABDUL GHAFFAR HUSSAIN
TRADING LLC

P.O. Box 117, PC 130,

Muscat, Sultanate of Oman

Tel: +968 24216938

Fax: +968 24210032

Email: hepworth@omantel.net.com

Email: info.oman@corys.ae

BAHRAIN

HEPWORTH W.L.L.

Building 1, Avenue 0010

P.O. Box 143, Manama, Bahrain

Tel: +973 17672050

Fax: +973 17672583

Email: info.bahrain@corys.ae

SAUDI ARABIA

ABDUL GHAFFAR INDUSTRIES LLC

Al Nuwar Bint Malik Street,

Building 18 - Al Rawdah District

Tel: +966 547900444

Email: info.ksa@corys.ae

HEAD OFFICE

HEPWORTH PME LLC DUBAI

P.O.Box 2345, Dubai, UAE

Tel: +971 4 2894670

Fax: +971 4 2894620 /1

Email: info@corys.ae

SALES/CUSTOMER SERVICE

customer.service@corys.ae

www.hepworth.ae