





This is to certify that: Corys Piping Systems L.L.C

Plot # 598-1105

Dubai Investment Park

PO Box 2345

Dubai

United Arab Emirates

Holds Certificate Number: KM 59577

In respect of:

BS EN 1329-1

Plastic piping systems for soil and waste discharge (low and high temperature) within the building structure - unplasticized poly(vinyl chloride) (PVC-U)

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Frank Lee, Product Certification Technical and Compliance Director

Effective Date: 2022-02-18 First Issued: 2001-11-06 Latest Issue: 2022-02-18 Expiry Date: 2023-03-11

Page: 1 of 5

...making excellence a habit.™

No. KM 59577

BS EN 1329-1: 2014+A1:2018 - Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

The scope of this Certificate covers the following products:

Pipes, lead free

Nominal Size DN/OD	Product Description
82	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD
110	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD
160	uPVC soil & waste plain end pipe - application area B and BD uPVC soil & waste ringseal pipe - application area B and BD uPVC soil & waste solvent cement pipe - application area B and BD
200	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD
250	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD
315	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD

Notes:

Lead free CaZn pipe. Pipes will be branded "Hepworth"

First Issued: 2001-11-06 Effective Date: 2022-02-18 Latest Issue: 2022-02-18 Expiry Date: 2023-03-11

Page: 2 of 5

No. KM 59577

BS EN 1329-1: 2014+A1:2018 - Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Pipes, lead based

Nominal Size DN/OD	Product Description
82	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD
110	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD
160	uPVC soil & waste plain end pipe - application area B and BD uPVC soil & waste ringseal pipe - application area B and BD uPVC soil & waste solvent cement pipe - application area B and BD
200	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD
250	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD
315	uPVC soil & waste plain end pipe - application area BD uPVC soil & waste ringseal pipe - application area BD uPVC soil & waste solvent cement pipe - application area BD

Notes:

Lead based pipe.

Pipes will be branded "Hepworth"

First Issued: 2001-11-06 Effective Date: 2022-02-18 Latest Issue: 2022-02-18 Expiry Date: 2023-03-11

Page: 3 of 5

No. KM 59577

BS EN 1329-1: 2014+A1:2018 - Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Lead based fittings

S.No.	Product Name	Soil Code
1	ELBOW 110/45° G X S	S15
2	ELBOW 110/45° G X G	S15B
3	ELBOW 110/87.5° SWEPT G X S	S12
4	ELBOW 110/87.5° SWEPT G X G	S12B
5	BRANCH 160/110/87.5° SWEPT G X S	S24/6"X4"
6	BRANCH 160/110/87.5° SWEPT G X G	S24B/6"X4"
7	BRANCH 110/110/87.5° SWEPT G X S	S24
8	BRANCH 110/110/87.5° SWEPT G X G	S24B
9	DOUBLE & REPAIR SOCKET 110MM	S1
10	DOUBLE & REPAIR SOCKET 160MM	S1/6"
11	GLUE ON SOCKET 160MM	S2/6"
12	GLUE ON SOCKET 110MM	S2
13	BRANCH 110/110/45° G X G	S27B
14	BRANCH 110/110/45° G X S	S27
15	REDUCER 110MM/82MM	S94

Note on	G -groove (rubber ring) socket and S -spigot.	
Abbrv.		

Notes:

Alternative material details as below:

EMVIN FINO 204 L GRAY - supplied by Intergulf Limited, Polyvenyl Components Branch, UAE. Fittings will be branded "Hepworth"

First Issued: 2001-11-06 Effective Date: 2022-02-18 Latest Issue: 2022-02-18 Expiry Date: 2023-03-11

Page: 4 of 5

No. KM 59577

BS EN 1329-1: 2014+A1:2018 - Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure. Unplasticized poly(vinyl chloride) (PVC-U). Specifications for pipes, fittings and the system.

Lead free fittings

S.No.	Product Name	Soil Code
1	ELBOW 110/45° G X S	S15
2	ELBOW 110/45° G X G	S15B
3	ELBOW 110/87.5° SWEPT G X S	S12
4	ELBOW 110/87.5° SWEPT G X G	S12B
5	BRANCH 160/110/87.5° SWEPT G X S	S24/6"X4"
6	BRANCH 160/110/87.5° SWEPT G X G	S24B/6"X4"
7	BRANCH 110/110/87.5° SWEPT G X S	S24
8	BRANCH 110/110/87.5° SWEPT G X G	S24B
9	DOUBLE & REPAIR SOCKET 110MM	S1
10	DOUBLE & REPAIR SOCKET 160MM	S1/6"
11	GLUE ON SOCKET 160MM	S2/6"
12	GLUE ON SOCKET 110MM	S2
13	BRANCH 110/110/45° G X G	S27B
14	BRANCH 110/110/45° G X S	S27
15	REDUCER 110MM/82MM	S94

Note on G- groove (rubber ring) socket and S- spigot.		G -groove (rubber ring) socket and S -spigot.
	Abbrv.	

Notes:

Alternative Lead free material details as below:

EMVIN FINO 600 L GRAY - supplied by Intergulf Limited, Polyvenyl Components Branch, UAE. Fittings will be branded "Hepworth"

First Issued: 2001-11-06 Effective Date: 2022-02-18 Latest Issue: 2022-02-18 Expiry Date: 2023-03-11

Page: 5 of 5